

LITERATURA

1. Soleimanpour H, Safari S, Shahsavari Nia K, et al. Opioid Drugs in Patients With Liver Disease: A Systematic Review. *Hepat Mon.* 2016;16(4):e32636. doi: 10.5812/hepatmon.32636.
2. Guerriero F. Guidance on opioids prescribing for the management of persistent non-cancer pain in older adults. *World J Clin Cases.* 2017;5(3):73-81. doi: 10.12998/wjcc.v5.i3.73.
3. Rieb LM, Samaan Z, Furlan AD, et al. Canadian Guidelines on Opioid Use Disorder Among Older Adults. *Can Geriatr J.* 2020;23(1):123-134. doi: 10.5770/cgj.23.420.
4. Qato DM, Wilder J, Schumm LP, et al. Changes in Prescription and Over-the-Counter Medication and Dietary Supplement Use Among Older Adults in the United States, 2005 vs 2011. *JAMA Intern Med.* 2016;176(4):473-482. doi: 10.1001/jamainternmed.2015.8581.
5. Dufort A, Samaan Z. Problematic Opioid Use Among Older Adults: Epidemiology, Adverse Outcomes and Treatment Considerations. *Drugs Aging* 2021;38(12):1043-1053.
6. Marciano G, Vocca C, Evangelista M, et al. The Pharmacological Treatment of Chronic Pain: From Guidelines to Daily Clinical Practice. *Pharmaceutics.* 2023;15(4):1165. doi: 10.3390/pharmaceutics15041165.
7. Wiffen PJ, Wee B, Derry S, et al. Opioids for cancer pain - an overview of Cochrane reviews. *Cochrane Database Syst Rev.* 2017;7(7):CD012592. doi: 10.1002/14651858.CD012592.pub2.
8. Busse JW, Craigie S, Juurlink DN, et al. Guideline for opioid therapy and chronic noncancer pain. *CMAJ.* 2017;189(18):E659-E666. doi: 10.1503/cmaj.170363.
9. Dowell D, Ragan KR, Jones CM, et al. CDC Clinical Practice Guideline for Prescribing Opioids for Pain – United States, 2022. *MMWR Recomm Rep.* 2022;71(3):1-95. doi: 10.15585/mmwr.r7103a1.
10. Plosker GL. Buprenorphine 5, 10 and 20 µg/h transdermal patch: a review of its use in the management of chronic non-malignant pain. *Drugs.* 2011;71(18):2491-509.
11. Nieminen LK, Pyysalo LM, Kankaanpää MJ. Prognostic factors for pain chronicity in low back pain: a systematic review. *Pain Rep.* 2021;6(1):e919. doi: 10.1097/PR9.0000000000000919.
12. Pergolizzi J, Varrassi G, LeQuang JAK, et al. Fixed Dose Versus Loose Dose: Analgesic Combinations. *Cureus.* 2023;15(1):e33320. doi: 10.7759/cureus.33320.
13. Krebs EE, Gravely A, Nugent S, et al. Effect of Opioid vs Nonopioid Medications on Pain-Related Function in Patients With Chronic Back Pain or Hip or Knee Osteoarthritis Pain: The SPACE Randomized Clinical Trial. *JAMA.* 2018;319(9):872-882. doi: 10.1001/jama.2018.0899.
14. Manchikanti L, Kaye AM, Knezevic NN, et al. Responsible, Safe, and Effective Prescription of Opioids for Chronic Non-Cancer Pain: American Society of Interventional Pain Physicians (ASIPP) Guidelines. *Pain Physician.* 2017;20(2S):S3-S92.
15. Higgins C, Smith BH, Matthews K. Evidence of opioid-induced hyperalgesia in clinical populations after chronic opioid exposure: a systematic review and meta-analysis. *Br J Anaesth.* 2019;122(6):e114-e126. doi: 10.1016/j.bja.2018.09.019.
16. Sanborn V, Gunstad J, Shrestha R, et al. Cognitive profiles in persons with opioid use disorder enrolled in methadone treatment. *Appl Neuropsychol Adult.* 2022;29(4):462-468. doi: 10.1080/23279095.2020.1769099.
17. Prostran M, Vujović KS, Vučković S, et al. Pharmacotherapy of Pain in the Older Population: The Place of Opioids. *Front Aging Neurosci.* 2016;8:144. doi: 10.3389/fnagi.2016.00144.
18. Tompkins DA, Huhn AS, Johnson PS, et al. To take or not to take: the association between perceived addiction risk, expected analgesic response and likelihood of trying novel pain relievers in self-identified chronic pain patients. *Addiction.* 2018;113(1):67-79. doi: 10.1111/add.13922.
19. Abdulla A, Adams N, Bone M, et al; British Geriatric Society. Guidance on the management of pain in older people. *Age Ageing.* 2013;42 Suppl 1:i1-57. doi: 10.1093/ageing/afs200.
20. Kakatkar S, Narayan A, Balkrishnan R. Prescription analgesic overuse in older adults: Can we mitigate this growing problem? *Aging Med (Milton).* 2022;5(4):294-296. doi: 10.1002/agm2.12228.